



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

PREVALENCE OF DISEASE.

No health department, State or local, can effectively prevent or control disease without knowledge of when, where, and under what conditions cases are occurring.

UNITED STATES.

CURRENT STATE SUMMARIES.

California Report for the Week Ended June 30, 1917.

The California State Board of Health reported concerning the status of preventable diseases in California for the week ended June 30, 1917, as follows: Of cerebrospinal meningitis, 2 cases occurred in San Francisco, 1 case in Stockton, and 1 in Santa Clara County. One case of poliomyelitis was notified at Los Angeles. Diphtheria increased a little, 34 cases having been notified, 12 of these in Los Angeles, 7 in San Francisco, and 4 in Sacramento. Ten cases of smallpox were reported, 7 in Fresno County, 1 each in Oakland, Los Angeles, and Needles. Eighteen cases of typhoid fever were notified, 1 each in Alameda, Martinez, Glendale, Los Angeles, Placer County, Sacramento, San Diego, Stockton, Santa Barbara, and King City, 3 in Santa Clara County, 5 in San Francisco. Scarlet fever showed a slight increase of cases over the previous week. Cases of measles, mumps, and whooping cough continued to decrease in numbers.

The details of notifiable disease cases reported in the State during the week ended June 23 are as follows:

Cerebrospinal meningitis.....	4	Pneumonia.....	31
Chicken pox.....	74	Scarlet fever.....	56
Diphtheria.....	32	Smallpox.....	4
Dysentery.....	15	Syphilis.....	19
Erysipelas.....	9	Tetanus.....	1
German measles.....	26	Trachoma.....	1
Gonococcus infection.....	23	Tuberculosis.....	119
Malaria.....	2	Typhoid fever.....	19
Measles.....	358	Whooping cough.....	68
Mumps.....	145		

CEREBROSPINAL MENINGITIS.

Connecticut.

Collaborating Epidemiologist Black reported June 27, 1917, that cases of cerebrospinal meningitis were present in Connecticut as follows: Two cases at Camp Dewey and one case each among the militia at Hartford and Norwich.

State Reports for May, 1917.

Place.	New cases reported.	Place.	New cases reported.
California:		Iowa—Continued.	
Alameda County.....	1	Pottawattamie County.....	1
Contra Costa County.....	1	Total.....	4
Los Angeles County—		New York:	
Los Angeles.....	1	Albany County.....	1
San Francisco County—		Erie County.....	9
San Francisco.....	3	Greene County.....	1
Total.....	6	Niagara County.....	3
Indiana:		Rensselaer County.....	1
Marion County.....	3	Schenectady County.....	1
Randolph County.....	1	Steuben County.....	1
St. Joseph County.....	2	Suffolk County.....	1
Total.....	6	New York City.....	60
Iowa:		Total.....	78
Page County.....	2	Wyoming:	
Polk County.....	1	Campbell County.....	1

Oregon Report for April, 1917.

During the month of April, 1917, 1 case of cerebrospinal meningitis was reported at Portland, Oreg.

City Reports for Week Ended June 16, 1917.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Atlantic City, N. J.....	1	Lexington, Ky.....	1	1
Baltimore, Md.....	6	4	Los Angeles, Cal.....	2
Berkeley, Cal.....	1	Milwaukee, Wis.....	2
Binghamton, N. Y.....	1	Minneapolis, Minn.....	2
Boston, Mass.....	2	1	Newark, N. J.....	8	3
Bridgeport, Conn.....	1	New York, N. Y.....	11	3
Canton, Ohio.....	1	Niagara Falls, N. Y.....	1	1
Chicago, Ill.....	13	7	Omaha, Nebr.....	1	1
Cincinnati, Ohio.....	1	2	Philadelphia, Pa.....	12	5
Cleveland, Ohio.....	8	4	Pittsburgh, Pa.....	4	2
Dayton, Ohio.....	1	Pittsfield, Mass.....	2
Detroit, Mich.....	5	1	Richmond, Va.....	1
Dubuque, Iowa.....	2	2	Rochester, N. Y.....	1
Duluth, Minn.....	1	St. Louis, Mo.....	3	1
Dunkirk, N. Y.....	1	Salt Lake City, Utah.....	1
Elizabeth, N. J.....	2	San Diego, Cal.....	2
Erie, Pa.....	1	South Bethlehem, Pa.....	1
Galveston, Tex.....	1	Springfield, Mass.....	1
Hartford, Conn.....	2	Toledo, Ohio.....	2	2
Indianapolis, Ind.....	1	Washington, D. C.....	1	1
Lawrence, Mass.....	1			

DIPHTHERIA.**Massachusetts—Lowell.**

Collaborating Epidemiologist Kelley reported that during the period from June 1 to 27, 1917, 52 cases of diphtheria were notified at Lowell, Mass. During the month of May 47 cases were reported in the same city.

See also Diphtheria, measles, scarlet fever, and tuberculosis, page 1094.

DYSENTERY.**Arkansas—Mississippi County—Bacillary Dysentery.**

Passed Asst. Surg. Preble reported June 30, 1917, the occurrence of a disease outbreak, regarded as bacillary dysentery, mainly among children, in Mississippi County, Ark. The same affection has been reported present in nearby counties in Arkansas and Missouri.

ERYSIPELAS.**City Reports for Week Ended June 16, 1917.**

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Alameda, Cal.....	1	Kansas City, Mo.....	2
Ann Arbor, Mich.....	1	Lawrence, Mass.....	1
Baltimore, Md.....	6	1	Los Angeles, Cal.....	3	1
Boston, Mass.....	1	Melrose, Mass.....	1
Buffalo, N. Y.....	4	2	Milwaukee, Wis.....	4
Butler, Pa.....	1	Newark, N. J.....	5
Chicago, Ill.....	21	4	New York, N. Y.....	10
Cincinnati, Ohio.....	1	Niagara Falls, N. Y.....	2
Cleveland, Ohio.....	2	Philadelphia, Pa.....	7
Clinton, Mass.....	1	Pittsburgh, Pa.....	15	2
Detroit, Mich.....	1	3	Providence, R. I.....	1
Duluth, Minn.....	2	Reading, Pa.....	1
Elgin, Ill.....	1	Richmond, Va.....	1
Erie, Pa.....	2	Rochester, N. Y.....	1
Flint, Mich.....	1	St. Louis, Mo.....	13	4
Fort Worth, Tex.....	1	San Diego, Cal.....	1
Harrisburg, Pa.....	1	San Francisco, Cal.....	1
Hartford, Conn.....	2	Syracuse, N. Y.....	1
Jersey City, N. J.....	2	Troy, N. Y.....	2
Kalamazoo, Mich.....	1			

LEPROSY.**City Report for Week Ended June 16, 1917.**

During the week ended June 16, 1917, one case of leprosy was reported in New York, N. Y.

MALARIA.**California Report for May, 1917.**

Place.	New cases reported.	Place.	New cases reported.
California:		California—Continued.	
Alameda County—		San Joaquin County—	
Berkeley.....	1	Stockton.....	1
Butte County.....	1	Shasta County.....	3
Fresno County—		Redding.....	2
Reedley.....	1	Sierra County.....	1
Glenn County—		Sutter County.....	1
Orland.....	2	Trinity County.....	1
Los Angeles County—		Tulare County.....	5
Los Angeles.....	2	Tuolumne County.....	1
Nevada County.....	1	Yolo County.....	6
Placer County.....	1	Yuba County.....	2
Rocklin.....	1	Total.....	33
San Francisco County—			
San Francisco.....	1		

City Reports for Week Ended June 16, 1917.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Berkeley, Cal.....	1	Memphis, Tenn.....	1
Birmingham, Ala.....	12	Morristown, N. J.....	1
Boston, Mass.....	3	New Orleans, La.....	2
East Orange, N. J.....	1	Richmond, Va.....	1
Los Angeles, Cal.....	1			

MEASLES.

See Diphtheria, measles, scarlet fever, and tuberculosis, page 1094.

PELLAGRA.**California Report for May, 1917.**

During the month of May, 1917, three cases of pellagra were reported in California; one case each in San Bernardino County, outside of San Bernardino, one case in San Bernardino, and one case in San Diego.

City Reports for Week Ended June 16, 1917.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Birmingham, Ala.....	9	5	Nashville, Tenn.....	3
Charleston, S. C.....	1	New Orleans, La.....	1	2
Chelsea, Mass.....	1	Norfolk, Va.....	1
El Paso, Tex.....	1	Savannah, Ga.....	1
Fort Worth, Tex.....	1	Somerville, Mass.....	1
Lynchburg, Va.....	1	Taunton, Mass.....	1
Memphis, Tenn.....	1	Washington, D. C.....	1
Mobile, Ala.....	2	Wilmington, N. C.....	2

PLAGUE.**California—Alameda County—Plague-Infected Squirrels Found.**

Passed Asst. Surg. Williams reported that during the period from June 13 to 23, 1917, eight plague-infected ground squirrels were found in Township 2, within a radius of 6 miles to the east and northeast

PLAGUE—Continued.

of Altamont, Alameda County, Cal. One of the infected squirrels was found on the Amelia Webber ranch, one on the Annie Owen ranch, one on Flynn Brothers ranch, three on the Frank Floyd ranch, one on the John Egan ranch, and one on the M. J. Crocker ranch.

California—San Benito County—Plague-Infected Squirrel Found.

Passed Asst. Surg. Williams reported that on June 19, 1917, a plague-infected ground squirrel was found on the B. D. Sindel ranch, 3 miles southeast of Paicines, San Benito County, Cal.

PNEUMONIA.**City Reports for Week Ended June 16, 1917.**

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Baltimore, Md.	4	7	Lowell, Mass.	1	
Binghamton, N. Y.	2		Lynn, Mass.	2	
Boston, Mass.	25	8	Malden, Mass.	1	
Braddock, Pa.	4		Manchester, N. H.	2	2
Brockton, Mass.	1		Medford, Mass.	1	
Chelsea, Mass.	3	2	Melrose, Mass.	2	1
Chicago, Ill.	110	68	Newark, N. J.	32	3
Chicopee, Mass.	1		New Bedford, Mass.	3	2
Cleveland, Ohio.	22	23	Pasadena, Cal.	2	
Dayton, Ohio.	3	2	Philadelphia, Pa.	59	26
Detroit, Mich.	8	16	Pittsburgh, Pa.	14	16
Dubuque, Iowa.	1	1	Pittsfield, Mass.	1	
Duluth, Minn.	5	1	Reno, Nev.	1	
Fall River, Mass.	3	1	Rochester, N. Y.	12	3
Fitchburg, Mass.	1	1	San Diego, Cal.	1	1
Flint, Mich.	5	3	San Francisco, Cal.	3	3
Haverhill, Mass.	1		Saginaw, Mich.	1	
Jackson, Mich.	1		Sandusky, Ohio.	2	2
Kalamazoo, Mich.	6		Schenectady, N. Y.	4	
Kansas City, Mo.	1	10	South Bethlehem, Pa.	1	
Lawrence, Mass.	1		Springfield, Mass.	5	4
Los Angeles, Cal.	7	8	Worcester, Mass.	4	

POLIOMYELITIS (INFANTILE PARALYSIS).**Ohio—Belmont County.**

The State Board of Health of Ohio reported July 5, 1917, the occurrence of 17 cases of poliomyelitis in Belmont County, Ohio; 11 of them at Martins Ferry and 6 in Tease Township.

State Reports for May, 1917.

Place.	New cases reported.	Place.	New cases reported.
California:		New York:	
Santa Cruz County—		Dutchess County	1
Santa Cruz	1	Erie County	1
Tulare County	1	Fulton County	1
Total	2	Saratoga County	1
Indiana:		Ulster County	1
Jackson County	1	Westchester County	1
Iowa:		New York City	10
Carroll County	1	Total	16
Fayette County	1		
Total	2		

POLIOMYELITIS (INFANTILE PARALYSIS)—Continued.**Oregon Report for April, 1917.**

During the month of April, 1917, one case of poliomyelitis was reported in Clackamas County, and one case in Portland, Oreg.

City Reports for Week Ended June 16, 1917.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Braddock, Pa.	1	Los Angeles, Cal.	2	1
Buffalo, N. Y.	1	Newark, N. J.	1
Chicago, Ill.	1	New York, N. Y.	6
Cincinnati, Ohio.	1	Portsmouth, N. H.	1
La Crosse, Wis.	1	Springfield, Mass.	1	1
Lima, Ohio.	1	1	Trenton, N. J.	1

RABIES IN ANIMALS.**City Report for Week Ended June 16, 1917.**

During the week ended June 16, 1917, one case of rabies in animals was reported in Detroit, Mich.

ROCKY MOUNTAIN SPOTTED FEVER.**Nevada.**

During the period from June 1 to 20, 1917, cases of Rocky Mountain spotted fever were notified in Humboldt County, Nev., as follows: One case each at Winnemucca, Rebel Creek, and Whiskey Creek.

Wyoming Report for May, 1917.

During the month of May, 1917, one case of Rocky Mountain spotted fever was reported in Gillette County, one case in Carbon County, one case in Sweetwater County, three cases in Natrona County, and two cases in Washakie County, Wyo.

Oregon Report for April, 1917.

During the month of April, 1917, one case of Rocky Mountain spotted fever was reported in Grant County and one case in Jefferson County, Oreg.

SCARLET FEVER.

See Diphtheria, measles, scarlet fever, and tuberculosis, page 1094.

SMALLPOX.**Arizona—Douglas—Virulent Smallpox.**

Acting Asst. Surg. Adamson reported that during the period from May 21 to June 25, 1917, 46 cases of smallpox, with 10 deaths, were notified at Douglas, Ariz.

SMALLPOX—Continued.

Illinois—Cairo.

Acting Asst. Surg. Barrows reported that during the week ended June 23, 1917, two cases of smallpox were notified at Cairo, Ill., making a total of 31 cases reported since January 1, 1917.

Minnesota.

Collaborating Epidemiologist Bracken reported that during the week ended June 30, 1917, three new foci of smallpox infection were reported in Minnesota, cases of the disease having been notified as follows: Bigstone County, Ortonville, 1; Renville County, Franklin, 1; Stevens County, Donnelly Township, 1.

State Reports for May, 1917.

Place.	New cases reported.	Deaths.	Vaccination history of cases.			
			Number vaccinated within seven years preceding attack.	Number last vaccinated more than seven years preceding attack.	Number never successfully vaccinated.	Vaccination history not obtained or uncertain.
California:						
Alameda County.....	1				1	
Alameda.....	1				1	
Imperial County.....	3				3	
El Centro.....	1				1	
Los Angeles County—						
Pomona.....	4				4	
Marin County—						
Sausalito.....	1				1	
San Bernardino County	1				1	
San Bernardino.....	1					1
Santa Clara County.....	1					1
Shasta County—						
Redding.....	1				1	
Solano County—						
Vallejo.....	1				1	
Total.....	16				14	2
New York:						
Albany County.....	8				5	3
Chautauqua County.....	3				3	
Dutchess County.....	2			1	1	
Erie County.....	1					1
Montgomery County.....	2				1	1
Nassau County.....	1			1		
Tioga County.....	1				1	
Washington County.....	13			1	6	6
Westchester County.....	1		1			
New York City.....	1					1
Total.....	33		1	3	17	12

SMALLPOX—Continued.

Miscellaneous State Reports.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Indiana (May 1-31):			Iowa (May 1-31)—Continued.		
Blackford County.....	1	Johnson County.....	1
Boone County.....	1	Lee County.....	7
Clay County.....	1	Linn County.....	2
Elkhart County.....	4	Mahaska County.....	5
Fountain County.....	4	Mills County.....	2
Gibson County.....	1	Mitchell County.....	1
Grant County.....	19	Monona County.....	1
Greene County.....	1	Osceola County.....	1
Hancock County.....	4	1	Page County.....	1
Hendricks County.....	5	Plymouth County.....	1
Howard County.....	3	Polk County.....	4
Huntington County.....	1	Pottawattamie County.....	60
Jackson County.....	34	Ringgold County.....	3	1
Jay County.....	1	Sac County.....	1
Knox County.....	12	Scott County.....	15
Lagrange County.....	4	Shelby County.....	1
Lake County.....	14	Sioux County.....	3
Laporte County.....	2	Tama County.....	1
Lawrence County.....	2	Van Buren County.....	15
Madison County.....	15	Wapello County.....	31
Marion County.....	61	1	Webster County.....	17
Morgan County.....	2	Winneshiek County.....	2
Parke County.....	16	Woodbury County.....	4
Polaski County.....	7	Wright County.....	2
Ripley County.....	4	Total.....	244	1
Sullivan County.....	6	Nevada (May 1-31):		
Tippecanoe County.....	29	Humboldt County.....	1
Tipton County.....	3	North Dakota (May 1-31):		
Vanderburg County.....	27	Bowman County.....	2
Vermilion County.....	21	Burke County.....	1
Vigo County.....	50	Foster County.....	3
Warren County.....	1	Golden Valley County.....	7
Warrick County.....	2	Grand Forks County.....	2
Wells County.....	1	Griggs County.....	1
Total.....	369	3	Hettinger County.....	1
Iowa (May 1-31):			McKenzie County.....	1
Adair County.....	1	Morton County.....	3
Appanoose County.....	2	Mountrail County.....	10
Audubon County.....	2	Nelson County.....	1
Benton County.....	1	Pembina County.....	1
Blackhawk County.....	1	Ramsey County.....	4
Calhoun County.....	9	Richland County.....	1
Carroll County.....	6	Stutsman County.....	1
Cedar County.....	6	Wells County.....	3
Cerro Gordo County.....	7	Williams County.....	1
Cherokee County.....	3	Total.....	43
Crawford County.....	3	Wyoming (May 1-31):		
Dallas County.....	3	Campbell County.....	1
Des Moines County.....	10	Sweetwater County.....	2
Franklin County.....	1	Albany County.....	1
Fremont County.....	2	Total.....	4
Guthrie County.....	1			
Hamilton County.....	1			
Harrison County.....	1			
Henry County.....	2			
Jefferson County.....	1			

Oregon Report for April, 1917.

During the month of April, 1917, 23 cases of smallpox were reported in Clatsop County, Oreg., and 4 cases in Portland, Oreg.

SMALLPOX—Continued.

City Reports for Week Ended June 16, 1917.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Akron, Ohio.....	13	Indianapolis, Ind.....	9
Alameda, Cal.....	1	Kansas City, Mo.....	18
Albany, N. Y.....	1	Little Rock, Ark.....	8
Alton, Ill.....	3	Memphis, Tenn.....	13
Ann Arbor, Mich.....	1	Milwaukee, Wis.....	3
Braddock, Pa.....	1	Minneapolis, Minn.....	30
Butte, Mont.....	2	New Britain, Conn.....	7
Cairo, Ill.....	2	New Castle, Pa.....	2
Canton, Ohio.....	2	New Orleans, La.....	3
Chicago, Ill.....	9	New York, N. Y.....	2
Cincinnati, Ohio.....	1	Oklahoma City, Okla.....	9
Cleveland, Ohio.....	10	Omaha, Nebr.....	5
Coffeyville, Kans.....	1	Pittsburgh, Pa.....	1
Columbus, Ohio.....	2	Quincy, Ill.....	8
Dayton, Ohio.....	1	Roanoke, Va.....	1
Denver, Colo.....	1	Rock Island, Ill.....	1
Detroit, Mich.....	8	St. Louis, Mo.....	11
Dubuque, Iowa.....	1	Salt Lake City, Utah.....	5
Duluth, Minn.....	3	4	Sioux City, Iowa.....	10
Elgin, Ill.....	1	Springfield, Ill.....	4
Erie, Pa.....	3	Steubenville, Ohio.....	2
Evansville, Ind.....	2	Tacoma, Wash.....	4
Flint, Mich.....	3	Terre Haute, Ind.....	2
Fort Wayne, Ind.....	3	Worcester, Mass.....	1
Grand Rapids, Mich.....	2			

TETANUS.

City Reports for Week Ended June 16, 1917.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Boston, Mass.....	4	2	Pittsburgh, Pa.....	1
Charleston, S. C.....	1	Richmond, Va.....	2
Cleveland, Ohio.....	1	Springfield, Mass.....	1

TUBERCULOSIS.

See Diphtheria, measles, scarlet fever, and tuberculosis, page 1094.

TYPHOID FEVER.

State Reports for May, 1917.

Place.	New cases reported.	Place.	New cases reported.
California:		California—Continued.	
Alameda County—		Kings County—	
Alameda.....	1	Hanford.....	1
Hayward.....	1	Los Angeles County.....	3
Oakland.....	12	Alhambra.....	1
Colusa County.....	1	El Monte.....	1
Contra Costa County—		Long Beach.....	1
Pittsburg.....	1	Los Angeles.....	8
Richmond.....	2	Monrovia.....	2
Fresno County—		Pasadena.....	4
Reedley.....	1	Watts.....	1
Imperial County.....	1	Monterey County.....	1
El Centro.....	3	Orange County.....	1
Kern County—		Fullerton.....	1
Bakersfield.....	2	Placer County—	
Delano.....	1	Auburn.....	1

TYPHOID FEVER—Continued.

State Reports for May, 1917.—Continued.

Place.	New cases reported.	Place.	New cases reported.
California—Continued:		New York—Continued.	
Sacramento County—		Columbia County.....	2
Sacramento.....	1	Dutchess County.....	2
San Diego County—		Erie County.....	17
San Diego.....	1	Greene County.....	2
San Francisco.....	9	Herkimer County.....	1
San Joaquin County—		Jefferson County.....	5
Lodi.....	1	Madison County.....	1
Stockton.....	2	Monroe County.....	5
Santa Clara County—		Montgomery County.....	1
San Jose.....	1	Niagara County.....	3
Santa Clara.....	1	Oneida County.....	4
Tehama County—		Onondaga County.....	6
Corning.....	1	Ontario County.....	4
Yolo County.....	1	Orange County.....	4
Total.....	70	Orleans County.....	1
		Rensselaer County.....	3
Indiana:		St. Lawrence County.....	2
Cass County.....	1	Saratoga County.....	4
Clark County.....	6	Schenectady County.....	4
Delaware County.....	3	Schoharie County.....	1
Elkhart County.....	3	Suffolk County.....	1
Fayette County.....	1	Sullivan County.....	1
Howard County.....	3	Tioga County.....	1
Huntington County.....	5	Ulster County.....	1
Jennings County.....	1	Wayne County.....	3
Lake County.....	17	Westchester County.....	3
Marion County.....	5	Yates County.....	1
Owen County.....	4	New York City.....	106
Ripley County.....	2		209
St. Joseph County.....	6		
Sullivan County.....	1	North Dakota:	
Tipton County.....	1	Cass County.....	2
Vanderburg County.....	5	McIntosh County.....	4
Warrick County.....	3	Pembina County.....	3
Washington County.....	3	Ransom County.....	1
Wells County.....	1	Richland County.....	9
Total.....	71	Stutsman County.....	2
		Ward County.....	3
Nevada:		Total.....	24
Humboldt County.....	2		
New York:		Wyoming:	
Albany County.....	10	Washakie County.....	3
Allegany County.....	4	Uinta County.....	5
Cattaraugus County.....	1	Fremont County.....	1
Cayuga County.....	2	Albany County.....	1
Chautauqua County.....	1	Total.....	10
Clinton County.....	4		

Oregon Report for April, 1917.

During the month of April, 1917, one case of typhoid fever was reported in each of Clatsop, Jackson, and Wallowa Counties, Oreg.

City Reports for Week Ended June 16, 1917.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Austin, Tex.....		1	Cincinnati, Ohio.....	1	
Baltimore, Md.....	5	1	Cleveland, Ohio.....	3	
Beaver Falls, Pa.....	1		Columbus, Ohio.....	2	1
Birmingham, Ala.....	16	1	Danville, Ill.....	1	
Boston, Mass.....	3		Detroit, Mich.....	3	1
Buffalo, N. Y.....	4	2	Duluth, Minn.....	2	
Camden, N. J.....	1		El Paso, Tex.....		2
Charleston, S. C.....	7	2	Everett, Mass.....	1	
Chicago, Ill.....	1	1	Everett, Wash.....	2	

TYPHOID FEVER—Continued.

City Reports for Week Ended June 16, 1917—Continued.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Fall River, Mass.	6		Pasadena, Cal.	1	
Flint, Mich.	1		Passaic, N. J.	1	
Fort Worth, Tex.	2		Philadelphia, Pa.	29	1
Galesburg, Ill.	2		Pittsburgh, Pa.	1	
Galveston, Tex.	1		Providence, R. I.	3	
Hagerstown, Md.	2		Quincy, Ill.	1	1
Hamilton, N. Y.	1	1	Reno, Nev.	1	
Indianapolis, Ind.	2		Roanoke, Va.	1	
Johnstown, Pa.	1		Rutland, Vt.	2	
Lancaster, Pa.	1		St. Louis, Mo.	5	
Lynchburg, Va.	12		Salt Lake City, Utah.	6	
Marquette, Wis.	1		San Francisco, Cal.	1	
Memphis, Tenn.	2	1	Sacramento, Cal.	1	
Mobile, Ala.	2	1	Savannah, Ga.	2	
Nashville, Tenn.	5		South Bend, Ind.	2	
Newark, N. J.	2	1	Springfield, Mass.		1
New Castle, Pa.	2		Superior, Wis.	3	
New Haven, Conn.	1		Toledo, Ohio.	1	
New Orleans, La.	5	3	Trenton, N. J.	2	
New York, N. Y.	24	4	Washington, D. C.	6	1
Norristown, Pa.	1	1	Wilmington, Del.	1	
Oakland, Cal.	1		Winston-Salem, N. C.	7	
Orange, N. J.		1			

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS.

State Reports for May, 1917.

State.	Cases reported.			State.	Cases reported.		
	Diphtheria.	Measles.	Scarlet fever.		Diphtheria.	Measles.	Scarlet fever.
California	228	4,041	422	New York	1,696	11,446	1,779
Indiana	197	3,908	443	North Dakota	23	224	48
Iowa	32		194	Wyoming	1	356	65
Nevada		43	8				

Oregon Report for April, 1917.

During the month of April, 1917, 9 cases of diphtheria, 688 cases of measles, and 112 cases of scarlet fever were reported in Oregon.

City Reports for Week Ended June 16, 1917.

City.	Popula- tion as of July 1, 1916 (estimated by U. S. Census Bureau).	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuber- culosis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Over 500,000 inhabitants:										
Baltimore, Md.	589,621	177	3	1	233	3	10	1	49	27
Boston, Mass.	756,476	227	91	8	236	2	23		72	24
Chicago, Ill.	2,497,722	651	96	24	755	5	307	11	227	67
Cleveland, Ohio.	674,073	195	36	2	85		17		36	18
Detroit, Mich.	571,784	189	98	11	36	3	63	3	27	25
Los Angeles, Cal.	503,812		6	2	142	1	5		33	21
New York, N. Y.	5,602,841	1,301	241	29	1,089	26	116	2	343	179
Philadelphia, Pa.	1,709,518	497	58	10	280	3	33		95	70
Pittsburgh, Pa.	579,090	136	16	2	213	2	16		31	8
St. Louis, Mo.	757,309	200	67	4	95		74		48	22

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS— Continued.

City Reports for Week Ended June 16, 1917—Continued.

City.	Popula- tion as of July 1, 1916 (estimated by U. S. Census Bureau).	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuber- culosis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
From 300,000 to 500,000 inhabit- ants:										
Buffalo, N. Y.	468,558	207	27		55	2	10	5	46	28
Cincinnati, Ohio.	410,476	121	13	2	43		4		25	14
Jersey City, N. J.	306,345	82	8	2	62	1	19		13	6
Milwaukee, Wis.	436,535	120	12	2	118		59	1	20	7
Minneapolis, Minn.	363,454		20		40		15			
Newark, N. J.	408,894	114	16	2	59	1	16		44	12
New Orleans, La.	371,747		7		2		2		30	21
San Francisco, Cal.	463,516	121	9	2	63		12		18	9
Washington, D. C.	363,980	97	9		160		4		22	5
From 200,000 to 300,000 inhabit- ants:										
Columbus, Ohio.	214,878	66	17		6		8		7	5
Denver, Colo.	260,800		6		38		8			12
Indianapolis, Ind.	271,708		23		129		10		30	
Kansas City, Mo.	297,847	84	5		23		14	1	1	10
Portland, Oreg.	295,463	44	9	1	10		11		12	3
Providence, R. I.	254,960	70	11	2	14		3		59	4
Rochester, N. Y.	256,417	76	5	1	189	3	16	1	16	7
From 100,000 to 200,000 inhabit- ants:										
Albany, N. Y.	104,199		3		30		6		8	
Birmingham, Ala.	181,762	88			46	3	1		21	10
Bridgeport, Conn.	121,579	29	6		18		4		3	2
Camden, N. J.	106,233				16		2		3	
Dayton, Ohio.	127,224	38	2		42		16		4	2
Fall River, Mass.	128,366	31	3		76	2	1		11	
Fort Worth, Tex.	104,562	21					1			2
Grand Rapids, Mich.	128,231	36	1		61		2		12	2
Hartford, Conn.	110,960	45	9	1	22		3		3	2
Lawrence, Mass.	109,560	21	1				1		6	5
Lowell, Mass.	113,245	28	6		6		2		2	2
Lynn, Mass.	102,425	22	2		3		3		4	2
Memphis, Tenn.	148,995	41	1		2		1		15	7
Nashville, Tenn.	117,067	27	1				1		5	3
New Bedford, Mass.	118,158	33	4		50				9	4
New Haven, Conn.	149,685		3		120	1			5	
Oakland, Cal.	198,604	53			12		7		8	3
Omaha, Nebr.	165,470	49	1		58		24			6
Reading, Pa.	109,381	26			9		7		5	1
Richmond, Va.	156,687	41							4	8
Salt Lake City, Utah.	117,399	19	1		5		15			
Springfield, Mass.	105,942	36	18	4	44	1	10		7	
Syracuse, N. Y.	155,624	49	2		39		11		3	4
Tacoma, Wash.	112,770		1				1			
Toledo, Ohio.	191,554	74	8	1	46		24	2	1	4
Trenton, N. J.	111,593	36	2		7		1		8	4
Worcester, Mass.	163,314	33	6		18		4		7	1
From 50,000 to 100,000 inhabit- ants:										
Akron, Ohio.	85,625		24		11					
Allentown, Pa.	63,505	20	1				4		8	
Altoona, Pa.	58,659		4		4				1	
Atlantic City, N. J.	57,660				42				5	
Bayonne, N. J.	69,893						4			
Berkeley, Cal.	57,653	14			1		1			
Binghamton, N. Y.	53,973	11	1		49	1	3		2	
Brockton, Mass.	67,449	10	4		2		7			
Canton, Ohio.	60,852	17	2		4		1		1	3
Charleston, S. C.	60,734	29	3		2	1				4
Covington, Ky.	57,144	12	1						1	1
Duluth, Minn.	94,495	25	5	1	32	1	2		3	1
Elizabeth, N. J.	86,690	23	1				4		6	4
El Paso, Tex.	63,705	63			7	3	1			8
Erie, Pa.	75,195				9				6	22
Evansville, Ind.	76,078	15	3		7		2		1	1
Flint, Mich.	54,772	12	5		20		17	1		
Fort Wayne, Ind.	76,183	12	4		27		4		1	2
Harrisburg, Pa.	72,015	18	2		18		1			2
Hoboken, N. J.	77,214	15	4		24		2		2	2
Johnstown, Pa.	68,529	25	2		25				3	1
Kansas City, Kans.	99,437				6		1		6	

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS— Continued.

City Reports for Week Ended June 16, 1917—Continued.

City.	Population as of July 1, 1916 (estimated by U. S. Census Bureau).	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuberculosis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
From 50,000 to 100,000 inhabitants—Continued.										
Lancaster, Pa.	50,853		1		25		2		3	
Little Rock, Ark.	57,343	11			4					
Malden, Mass.	51,155	8	9		41		1		1	
Manchester, N. H.	78,283	28			5				2	2
Mobile, Ala.	58,221	21	1		5	1				3
New Britain, Conn.	53,794	12			1		2			2
Norfolk, Va.	89,612				4				4	6
Oklahoma City, Okla.	92,943	13	1		1		1			
Passaic, N. J.	71,744	16	6		3				4	3
Pawtucket, R. I.	59,411	12	4				2			
Portland, Me.	63,867	15	2		23		1	1		2
Rockford, Ill.	55,185	16	1		35		2			
Sacramento, Cal.	66,895	19	1		7				5	4
Saginaw, Mich.	55,642	26			2		4		2	
San Diego, Cal.	53,330	21			67				1	1
Savannah, Ga.	68,805	23	1		10				4	2
Schenectady, N. Y.	99,519	17	1		40		2		2	4
Sioux City, Iowa	57,078	1					4			
Somerville, Mass.	87,039	18	4		20		1		6	4
South Bend, Ind.	68,945	24	1		26		8			3
Springfield, Ill.	61,120	14			9		2			1
Terre Haute, Ind.	66,083	17	1		6					3
Troy, N. Y.	77,916	2	2	1	19		4		4	13
Wichita, Kans.	70,722				1		4		2	
Wilkes-Barre, Pa.	76,776	12			63		3		3	
Wilmington, Del.	94,265	28	3		7		2		2	
York, Pa.	51,656		1						2	
From 25,000 to 50,000 inhabitants:										
Alameda, Cal.	27,732	3					3			
Auburn, N. Y.	37,385	9	1		3					2
Austin, Tex.	34,814	14	1						1	4
Brookline, Mass.	32,730		2		8				2	
Butler, Pa.	27,632	5	1		1					
Butte, Mont.	43,425	1	1		4		9			
Chelsea, Mass.	46,192	16	4		8		1		5	1
Chicopee, Mass.	29,319	4	1		1				1	
Cumberland, Md.	26,074	6			6				4	1
Danville, Ill.	32,261	6			6		1			
Dubuque, Iowa	39,873		1	1	1		2		1	1
East Chicago, Ind.	28,743	3			11		2			2
East Orange, N. J.	42,458	4			40		6		3	
Elgin, Ill.	28,203	7			1				2	
Everett, Mass.	39,233	6	1		4				1	
Everett, Wash.	35,486	6			3		2			2
Fitchburg, Mass.	41,781	8	9		20					
Galveston, Tex.	41,863	16								2
Hagerstown, Md.	25,679				1					
Hamilton, Ohio.	40,496	6	1				2			1
Haverhill, Mass.	43,477	11	2		4		1		5	
Jackson, Mich.	35,368	13	1		39		1		2	
Kalamazoo, Mich.	48,886	12	1		90				2	1
Kenosha, Wis.	31,576	8	2		41		2	1	1	1
Kingston, N. Y.	26,771	4			4					
Knoxville, Tenn.	38,675				1				3	
La Crosse, Wis.	31,677	3	6				1		2	
Lexington, Ky.	41,097	18			8		1			2
Lima, Ohio.	35,384	9			4			1		
Lincoln, Nebr.	46,515	13	1		14		2			
Long Beach, Cal.	27,587	5			8					
Lorain, Ohio.	36,964				1		2		1	
Lynchburg, Va.	32,940	18			18		1			6
Madison, Wis.	30,699				3		4			
McKeesport, Pa.	47,521	7	1		1				1	
Medford, Mass.	26,234	4	2		11					1
Montclair, N. J.	26,318	6	1		4				3	
Nashua, N. H.	27,327	9			8					
Newburgh, N. Y.	29,603	7	1	1	3		1		1	
New Castle, Pa.	41,133		1		1		4			
Newport, R. I.	39,108	10			2					

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS— Continued.

City Reports for Week Ended June 16, 1917—Continued.

City.	Popula- tion as of July 1, 1916 (estimated by U. S. Census Bureau).	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuber- culosis.		
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	
From 25,000 to 100,000 inhabit- ants—Continued.											
Newton, Mass.	43,715	7	1		20				2	1	
Niagara Falls, N. Y.	37,353	16	4		31		2		2		
Norristown, Pa.	31,401	7			2						
Ogden, Utah.	31,404	6	1		3		3				
Orange, N. J.	33,080	6			4				1		
Pasadena, Cal.	46,450	10			4		7		1	1	
Perth Amboy, N. J.	41,185	10	1		2				3		
Pittsfield, Mass.	38,629	7	1		42		1		2	1	
Portsmouth, Va.	39,651	14			5		5				
Quincy, Ill.	36,798	13			3						
Quincy, Mass.	38,136	6	2		2		3			2	
Racine, Wis.	46,486	6							3		
Roanoke, Va.	43,284	13	3		5				1	1	
Rock Island, Ill.	28,926	11			5		2				
Steubenville, Ohio.	27,445	8									
Superior, Wis.	46,226	5	3								
Taunton, Mass.	39,283	8					2				
Topeka, Kans.	48,726	8			6		2				
Waltham, Mass.	30,570				19				1	1	
Watertown, N. Y.	29,894				9						
West Hoboken, N. J.	43,139	5	1		9		5		3		
Wheeling, W. Va.	43,377	12			3						
Wilmington, N. C.	29,832	17			3		1			1	
Winston-Salem, N. C.	31,155	15			3		1		4	3	
Zanesville, Ohio.	30,863				2		2				
From 10,000 to 25,000 inhabit- ants:											
Alton, Ill.	22,874	3	2		3				1	1	
Ann Arbor, Mich.	15,010	8			40		1		4		
Beaver Falls, Pa.	13,532		1				1				
Berlin, N. H.	13,599	4							1		
Braddock, Pa.	21,685		1		7		1		3		
Cairo, Ill.	15,794	6			1						
Clinton, Mass.	13,075	4			9						
Coffeyville, Kans.	17,548				1				1		
Concord, N. H.	22,669	14	2		40						
Dunkirk, N. Y.	20,743				11				1		
Galesburg, Ill.	24,276	7	2		32						
Harrison, N. J.	16,950				9				2		
Kearny, N. J.	23,539	6			12				1		
Kokomo, Ind.	20,930	2	2		1						
Long Branch, N. J.	15,395	1			2				6		
Marquette, Wis.	14,610	4					2			1	
Melrose, Mass.	17,445	4	3		6				2		
Morristown, N. J.	13,284	4									
Muscatine, Iowa.	17,500						1				
Nanticoke, Pa.	23,126	3									
Newburyport, Mass.	15,243	4			5		1			1	
New London, Conn.	20,985	6			2						
North Adams, Mass.	12,019	7			45						
Northampton, Mass.	19,926	5			5		2		6	3	
Plainfield, N. J.	23,805	4							1		
Portsmouth, N. H.	11,666		1		2		2				
Reno, Nev.	14,899		1				1				
Rocky Mount, N. C.	12,067	7			3						
Rutland, Vt.	14,831	6			2		1			2	
Sandusky, Ohio.	20,193	8			6						
Saratoga Springs, N. Y.	13,821	1							2		
South Bethlehem, Pa.	24,204				3		1				
Washington, Pa.	21,618		1		16		1				
Woburn, Mass.	15,969	4									

¹ Population Apr. 15, 1910; no estimate made.